

U.S. Application No.: NEW
PRELIMINARY AMENDMENT

Attorney Docket: 3975.047


REMARKS

The claims have been amended in order to eliminate multiple dependent claims and claims improperly depending from multiple dependent claims, and to otherwise conform the claims to U.S. practice. Care has been taken to ensure that no new matter is added to the text.

Applicants are submitting herewith a substituted Specification. Care has been taken to ensure that no new matter has been added.

Entry and favorable consideration prior to consideration are respectfully requested.

Respectfully submitted,



Stephan A. Pendorf
Registration No. 32,665

PENDORF & CUTLIFF
5111 Memorial Highway
Tampa, Florida 33634-7356
(813) 886-6085

Date: **November 28, 2005**

10/558441
IAP16 Rec'd PCT/PTO 28 NOV 2005

MARKED UP VERSION OF
SPECIFICATION INDICATING
ADDITIONS AND DELETIONS

*EXPRESS MAIL LABEL NO.: EV687310415US

I HEREBY CERTIFY THAT THIS PAPER IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 CFR. 1.10 IN AN ENVELOPE ADDRESSED TO: THE COMMISSIONER OF PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON THIS DATE. THE COMMISSIONER IS HEREBY AUTHORIZED TO CHARGE ANY FEES ARISING HEREFROM AT ANY TIME TO DEPOSIT ACCOUNT 16-0877.

11/28/05
DATE

James Z. Ford
SIGNATURE

IAP16 Rec'd PCT/PTO 28 NOV 2005

~~ACTIVE INGREDIENT COMPOSITION COMPRISING VEGETABLE EXTRACTS FOR USE
IN COSMETIC PRODUCTS~~

ACTIVE PREPARATION CONTAINING PLANT EXTRACTS FOR COSMETICS

Cross Reference To Related Application

[0001] This application is a *national stage* of PCT/EP2004/005542 filed May 21, 2004 and based upon DE 103 25 156.1 filed May 28, 2003 under the International Convention.

BACKGROUND OF THE INVENTION

Field of the invention

[0002] The invention relates to an active preparation for cosmetics, which contains plant extracts and has special anti-radical properties.

Related Art of the invention

[0003] From WO 99/66881, a cosmetic active preparation with a high radical protection factor is known, which contains an extract from the bark of Quebracho blanco enclosed in microcapsules and a silkworm extract as main ingredients, which extracts are provided in a gel together with phospholipids and form an association complex in said gel. The aforesaid active complex can in addition contain further ingredients, e.g. plant extracts. Plant extracts mentioned include, among many others, those obtained from coffee beans and angelica root. Said combinations have radical protection factors ranging between 100 and 10,000, and the cosmetic preparations in which they are used have radical protection factors of 40-200, depending on the amount of the active preparation added.

SUMMARY OF THE INVENTION

[0004] The object of the invention is to provide a composition for use in cosmetics, which can be easily prepared without using encapsulating liposomes and which at the same time has a high

radical protection factor, but can be combined much more easily with other cosmetic ingredients and is also suitable for the production of perfumes and sprays.

[0005] According to the invention, the active preparation consists of a mixture of plant extracts with an alcoholic base, which consists of 0.1 to 2% by weight extract from green coffee beans, 0.1 to 2% by weight extract from the leaves of *Camellia sinensis*, 0.1 to 2% by weight extract from *Pongamia pinnata* and 0.1 to 2% by weight extract from the roots of *Angelica archangelica*, a monovalent C₂-C₅ alcohol making up the remainder up to 100% by weight. The extract mixture is free from liposomes and has a radical protection factor ranging between 1,400 and 2,900 x 10¹⁴ radicals per mg.

[0006] The aforesaid extracts are alcoholic or aqueous-alcoholic extracts, preferably alcoholic extracts. The extraction temperatures range between 18 and 28°C. The extract from *Pongamia pinnata* was obtained from the whole plant.

[0007] The extract mixture can make up 0.1 to 10% by weight, preferably 0.1 to 5% by weight, of a cosmetic, relative to the cosmetic's total weight. It has been found that such an active mixture has an unexpectedly high radical protection factor (RPF) of approx. 1,400-2,900 x 10¹⁴ radicals per mg, determined by measuring the number of free radicals in a solution of a test substance (S₁) by means of electron spin resonance (ESR) and comparing it with the ESR measuring result of the cosmetic active preparation according to the equation

$$RPF = (RC \times RF) / PI$$

wherein $RF = (S_1 - S_2) / S_1$; RC = concentration of the test substance (radicals/ml); PI = concentration of the active preparation (mg/ml) (measurement according to WO 99/66881).

[0008] The RPF found in this way is considerably higher than that of an active preparation in WO 99/66881, which is specified to be 1,255.

[0009] It has further been found that a cosmetic composition containing the active preparation according to the invention will have radical protection factors of 60 to 140×10^{14} radicals per mg if said active preparation is contained in said cosmetic composition in a preferred concentration ranging between 0.5 and 2% by weight, which is considerably higher than the values of 35 to 49×10^{14} specified in the examples of WO 99/66881.

[00010] The active preparation according to the invention can be used in W/O or O/W emulsions, gels or gel emulsions. Its use in perfumes or sprays is particularly advantageous. The active preparations known from WO 99/66881 are always combined with a gel and in addition the active agents are encapsulated in liposomes, which frequently makes it very difficult to atomize such formulations; as a consequence, these formulations with high radical protection factors can hardly be used for such applications. In contrast, the alcoholic solution of the active preparation according to the invention can be prepared more easily since no liposomes must be produced, it has high radical protection factors and it can be incorporated into spray or perfume applications and atomized by the user without problems.

[00011] The active preparation according to the invention can also be combined with other cosmetic auxiliaries and active agents and processed to obtain forms suitable for application.

[00012] Such auxiliaries include water, preservatives, colourants, pigments having a colouring effect, thickeners, fragrances, alcohols, polyols, esters, electrolytes, gel-forming agents, polar and non-polar oils, polymers, copolymers, emulsifiers, stabilizers.

[00013] Cosmetic active agents include e.g. inorganic and organic sunscreens, further radical scavengers, moisturizers, vitamins, enzymes, further plant-based active agents, polymers, melanin, antioxidants, anti-inflammatory natural active agents.

Detailed Description of the Invention

[00014] The invention will hereinafter be explained in more detail by means of examples. All quantities are in % by weight unless indicated otherwise.

[00015] Example 1 Moisturizing skin balm

Phase A

Water	q.s. ad 100
Glycerine	2.0
Butylene Glycol	2.0
Tetrasodium Ethylenediamine Tetra-acetic Acid	0.1
Preservative	0.4
pH adjuster	0.3

Phase B

Beheneth-25	3.3
-------------	-----

Cetearyl Alcohol	2.7
Dicapryl Carbonate	8.5
Shea Butter	7.2
Phenoxyethanol	0.9
Modified maize starch powder	3.0
Dimethicone	1.4
Simulgel® NS	3.5

Phase C

Colourants	0.1
Water of volcanic origin**	1.0
Peptide palmitoyl-gly-his-lys	0.5
Mixture of alcoholic extracts from plants*	0.2
<i>Crithmum maritimum</i> extract	0.5
Hydrolyzed soy protein	1.0
Benzophenone-4 (for colourants)	0.4

* Consisting of 0.2% by weight seeds of coffee beans, 0.2% by weight *Camellia sinensis* leaves, 0.2% by weight *Pongamia pinnata*, 0.2% by weight angelica root and 99.2% by weight ethanol; RPF 2630 x 10¹⁴ rad/mg.

** With the following salt concentrations:

0.01-0.05 mg/l Fe, 100-300 mg/l K, 1,000-2,000 mg/l Na, 80-200 mg/l Mg, 50-150 mg/l Ca, 50-150 mg/l Si (as SiO₂), 0.01-0.1 mg/l P, 0.001-0.005 mg/l Se, 0.01-0.03 mg/l Zn.

[00016] Phases A and B are mixed separately at approx. 60°C, Phase C is mixed at approx. 35°C, and all three phases are combined with one another while stirring at approx. 35°C.

[00017] The skin balm has an RPF of 68 (x 10¹⁴ radicals per mg).

Example 2 Perfume

Ethanol	q.s. ad 100
Mixture of alcoholic extracts from plants*	9.5
Perfume	8

RPF = 137.

Example 3 Spray

Ethanol	q.s. ad 100
Mixture of alcoholic extracts from plants*	5
Propellant gas	38

RPF = 93.

[00018] The spray was excellent to handle, showed a very fine droplet distribution and caused no such problems as comparative sprays in which plant extracts were encapsulated in liposomes.